



Fall protection

AN503180JW

ENERGY ABSORBING LANYARDS

Fall arrester with energy absorber in lanyard webbing



Specific benefits



Hygiene

- Harnesses and textiles can be washed with neutral soap



Easy to use

- NFC system guarantees traceability



Durability

- High webbing tenacity thanks to its weave and width

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Certifications and norms

Protects against risks



Fall



Fall protection

AN503180JW

ENERGY ABSORBING LANYARDS

Fall arrester with energy absorber in lanyard webbing

Standards - Details

Technical details

Color	Black-Yellow
SIZE	1,8 m
Composition of the main support	Steel, Polyester
With connector	yes
Connector (user side)	Screw carabiner, steel, opening 18mm
Connector (structure side)	Screw carabiner
Weight	1.8 kg
Type of equipment	Energy absorber in lanyard webbing
Type of packaging	Box of 5
Fall arrest work situations	Vertical movement on a permanent structure, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)



Fall protection

AN503180JW

ENERGY ABSORBING LANYARDS

Fall arrester with energy absorber in lanyard webbing

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------